

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

AN EXAMINATION BY THE PUBLIC SERVICE)	
COMMISSION OF THE APPLICATION OF THE)	
FUEL ADJUSTMENT CLAUSE OF KENTUCKY)	CASE NO. 90-362
POWER COMPANY FROM NOVEMBER 1, 1988)	
TO OCTOBER 31, 1990)	

O R D E R

The Commission, upon review of its April 3, 1991 Order and Appendix A thereto, hereby finds that the rates for five street lighting tariffs contained in that Appendix reflect erroneous changes in the base fuel rate due to minor mathematical errors. The corrected rates are as follows:

A. Overhead Service on Existing Distribution Poles

Mercury Vapor	
100 Watts	\$ 3.36 per lamp

C. Service on New Wood Distribution Poles

High Pressure Sodium	
100 Watts	\$ 7.40 per lamp
150 Watts	\$ 7.97 per lamp


D. Service on New Metal or Concrete Poles


High Pressure Sodium	
100 Watts	\$15.19 per lamp
150 Watts	\$15.71 per lamp


IT IS THEREFORE ORDERED, to be entered nunc pro tunc, that Appendix A to the April 3, 1991 Order be and it hereby is corrected to include the street lighting rates set forth herein.

Done at Frankfort, Kentucky, this 24th day of April, 1991.

PUBLIC SERVICE COMMISSION


Chairman


Vice Chairman


Commissioner

ATTEST:


Executive Director